Appln. No.: 10/713,450 Amdt. dated April 19, 2006

Amendments to the Drawings:

Please replace Fig. 13 with the enclosed replacement Fig. 13. In element 1315 of said figure, "32-FFT" is amended to read "32-IFFT."

Appln. No.: 10/713,450 Amdt. dated April 19, 2006

REMARKS

In the Office Action of December 19, 2005, claims 24, 26-28 and 32 were rejected and claims 25, 29-31 and 33 were allowed. Although Applicant does not necessarily agree with the rejection of claims 24, 26-28 and 32, said claims are cancelled herewith to expedite the issuance of claims 25, 29-31 and 33.

Also in the 12/29/05 Office Action, the Examiner stated that "the amendment to fig. 13 on page 25, lines 30-34 is not supported by the drawing fig. 13 as originally filed. Fig. 13 shows a 32-inverse Fourier transform as originally filed." In response to this, Fig. 13 and the supporting text in the specification are amended herewith to indicate a 32-inverse Fourier transform.

In view of the foregoing amendments, Applicant respectfully requests allowance of claims and 25, 29-31 and 33.

The Commissioner is hereby authorized to charge any additional fees or credit any overpayment to the deposit account of McAndrews, Held & Malloy, Account No. 13-0017.

Date: April 19, 2006

Respectfully submitted,

MÇANDREWS, HELD & MALLOY, LTD.

John A. Wiberg Reg. No. 44,401

Tel.: 312 775 8000